



DL2 Loading Dock Arms

Innovative. Modern. Streamlined.

Model Numbers

24" Loading Dock Arm
DL2-SA-24



36" Loading Dock Arm
DL2-SA-36



40" Loading Dock Arm
DL2-DA-40



48" Loading Dock Arm
DL2-DA-48



60" Loading Dock Arm
DL2-DA-60



Heavy Duty LED Light Head
HDL2 (no switch)
HDL2-S (switch)

Polycarbonate LED Light Head
PL2 (no switch)
PL2-S (switch)

3-Speed Fan
DLFAN






Specifications

Wattage	13.4W
Power Source	120V, 60Hz
Lumens	1331
Beam Angle	10°
CRI	≥ 75
CCT	5000K
Life	100,000 hours at 70% lumen maintenance
Material	Steel, polycarbonate, aluminum
Cord Length	6 ft
Cord Type	NEMA 5-15
Hole size	3/8 in
Mounting	3/8 in. lag bolts (not included) recommended for installation on concrete. Use appropriate installation hardware when installing on other substrates.
Compliances	cULus listed, LM79 report available upon request
Warranty	5 years








Single Arm Lengths



Double Arm Lengths




Model	A	B	C	D	Weight
DL2-SA-24 (24" Single Arm)	24 in (610 mm)	N/A	8.5 in (216 mm)	8.5 in (216 mm)	7 lbs.
DL2-SA-36 (36" Single Arm)	36 in (915 mm)	N/A	8.5 in (216 mm)	8.5 in (216 mm)	9 lbs.
DL2-DA-40 (40" Double Arm)	40 in (1016 mm)	24 in (610 mm)	8.5 in (216 mm)	8.5 in (216 mm)	9 lbs.
DL2-DA-48 (48" Double Arm)	48 in (1219 mm)	24 in (610 mm)	8.5 in (216 mm)	8.5 in (216 mm)	10 lbs.
DL2-DA-60 (60" Double Arm)	60 in (1524 mm)	36 in (915 mm)	8.5 in (216 mm)	8.5 in (216 mm)	12 lbs.






Mounting Bracket



DLFAN







HDL2 Heavy Duty LED Light Heads

Innovative. Modern. Streamlined.

Specifications

Weight	4.74 lbs (HDL2); 4.78 lbs (HDL2-S)
Compliances	cULus listed, IP66 Rated for Wet Locations, RoHS Compliant, NEMA4, LM79 report available upon request.
Warranty	5 years





PL2 Polycarbonate LED Light Heads

Innovative. Modern. Streamlined.

Specifications

Weight	2.53 lbs (PL2); 2.57 lbs (PL2-S)
Compliances	cULus listed, RoHS Compliant, Rated for Damp Locations, LM79 report available upon request.
Warranty	5 years

